Response to Office Action dated: October 12, 2005

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (canceled)
- 2. (canceled)
- 3. (canceled)
- 4. (canceled)
- 5. (canceled)
- 6. (canceled)

CE11662JME

Application S/N 10/728,336

Amendment dated: December 30, 2005

Response to Office Action dated: October 12, 2005

7. (currently amended) An accessory cover for a communications device <u>having</u> a <u>connector</u>, comprising:

a flap that selectively covers the connector; and

at least one attachment leg, each leg having a proximal end and a distal end, the proximal end of each leg being flexibly connected to the flap, the distal end of each leg being adapted for connection to the communication device, at least a portion of the attachment leg being bendable,

wherein the flap is movable between at least a closed position and an open position, wherein in the open position, the flap allows the connector to receive an accessory that the connector is designed to receive and wherein the flap remains in the open position irrespective of the positioning of the accessory cover or the communication device.

- 8. (previously presented) The accessory cover of claim 7 wherein, in the closed position, the flap is disposed substantially 90 degrees relative to the attachment legs.
- 9. (previously presented) The accessory cover of claim 7 wherein at least two of the at least one attachment legs are substantially parallel.
- 10. (previously presented) The accessory cover of claim 7 wherein the cover provides one of a tactile signal or an audible signal when the cover is moved between the closed and open positions.

CE11662JME

Application S/N 10/728,336

Amendment dated: December 30, 2005

Response to Office Action dated: October 12, 2005

11. (previously presented) The accessory cover of claim 7 wherein the flap includes at least two notches, each of the notches receiving at least a portion of a respective attachment leg when the cover is moved.

- 12. (original) The accessory cover of claim 7 wherein the at least one attachment leg includes two substantially parallel attachment legs.
- 13. (original) The accessory cover of claim 7 wherein the flap is substantially flat.
- 14. (original) The accessory cover of claim 7 wherein the flap is substantially rectangular.
- 15. (original) The accessory cover of claim 7 wherein the distal end of the at least one attachment leg includes one or more slots, whereby the slots lockingly receive a corresponding protrusion on the communication device.
- 16. (previously presented) The accessory cover of claim 7, wherein, in the open position, the flap is disposed substantially in the same plane relative to the attachment legs.
- 17. (original) The accessory cover of claim 7 wherein the distal end of the at least one attachment leg includes one or more protrusions, whereby the one or more protrusions are lockingly received in a corresponding passage on the communication device.

CE11662JME

Application S/N 10/728,336

Amendment dated: December 30, 2005

Response to Office Action dated: October 12, 2005

18. (currently amended) The accessory cover of claim 7 wherein at least one projection extends substantially transversely from the flap, the at least one projection shaped to interface with a the connector.

- 19. (currently amended) The accessory cover of claim 18 wherein the at least one projection is shaped to substantially surroundingly receive a the connector.
- 20. (previously presented) The accessory cover of claim 7 wherein the flap includes at least one edge portion, the edge portion including at least one protrusion, wherein the at least one protrusion lockingly engages a portion of the communication device so as to retain the communication device in the closed position.
- 21. (previously presented) The accessory cover of claim 7 wherein the flap includes at least one notch, wherein the at least one notch lockingly engages a respective protrusion on the communication device so as to retain the communication device in the closed position.
- 22. (canceled)
- 23. (canceled)
- 24. (canceled)